

"Supplier logo if available"	Product Technical data sheet: Supplier Declaration
-------------------------------------	---

Product identification			
Adeo Ref	830430		
Product EAN	3276007130614		
Supplier ref	11-2020-2111-S4		

Template version history			
Version	Status	Date Status	Comments
V.0	Under construction	20/08/2018	Template construction
V.1	Validated construction	30/09/2019	Validated Template

Object

Technical data sheet of products

Technical data



ALI CASTER AND HARDWARE CO.,LTD

YONGAN INDUSTRIAL AREA, JIDONG YI, XIAOLAN TOWN, ZHONGSHAN, GUANGDONG, CHINA. 528415

Name product	SET 4 CASTER 50MM 360°, PLATE, PLASTIC BRAKE, ANTISLIDE ANTI-SCUFFMARK	Contain battery	N/A
Power in Watt	N/A	Weight of the battery (gram)	N/A
Nett Weight in gram (without batteries, without packaging)	825	Type of battery (Li-ion / Alkaline, ...)	N/A
Size of product: LxH in centimetre	20**18.5*5		
Accessories included: detailed it	no		
Weight packaging	825		
Size packaging	20**18.5*5		
Material	Steel80%-PP15%-TPR5%		

Remark: The main technical features could be adjusted by supplier based on different kinds of products.

Photo



x 2

Testing Standard: EN12530

Load supported 40 KGS

SST resistance:

Neutral Salt Spray test

Grade/24h for white rust

72h for red rust

GB/T10125-2012

Angles $\pm 1^\circ$

Concentricity $\pm 1\%$ of
the length

Tolerance Grade	Tolerance setction					
	10~15	16~20	20~30	30~120	120~400	400~1000
MT5	0.45	0.6	0.8	1.0	1.4	1.7
Overall Height	10~15	20~40	40~50	75~125	150~400	120~400
	0.5	1.0	1.5	1.8	2	2

2 Casters 50mm 360° Plate No brake Indoor Inside/Grey; Band/
Dark grey Anti slide Anti-scurfmark

Material grade


Steel SPCC, TPR tread+PP core

GENERAL DRAWING

Coating

white zinc-8 μ m

Matrix code:0040					
EAN:3276007130614	A				
Format: A4					
Scale: 1:1					
Supplier:Ali Caster & Hardware CO.,Ltd	01/09/2020	Meng	Sharmay	Sharwin	
Supplier reference:11-2020-2111	Rev.	Date	Drawings by	Done by	Checked by



Testing Standard: EN12530
Load supported 40 KGS
SST resistance:
Neutral Salt Spray test
Grade/24h for white rust
72h for red rust
GB/T10125-2012

Angles $\pm 1^\circ$

Concentricity $\pm 1\%$ of
the length

Tolerance	Tolerance setction					
	10~15	16~20	20~30	30~120	120~400	400~1000
Grade	0.45	0.6	0.8	1.0	1.4	1.7
MT5						
Overall Height	10~15	20~40	40~50	75~125	150~400	120~400
	0.5	1.0	1.5	1.8	2	2

2 Casters 50mm 360° Plate Brake plastic Indoor Inside/Grey; Band/ Dark grey Anti slide Anti-scuffmark				Material grade	
				Steel SPCC, TPR tread+PP core	
GENERAL DRAWING				Coating	
				white zinc-8µm	
Matrix code:0040					
EAN:3276007130614	A				
Format: A4					
Scale: 1:1					
Supplier:Ali Caster & Hardware CO.,Ltd		01/09/2020	Meng	Sharmay	Sharwin
Supplier reference:11-2020-2111-B	Rev.	Date	Drawings by	Done by	Checked by